

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	67	junkers.in. and washer	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/09 17:34
L3	380	(411/533,219).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/09 19:19
L5	7	("3627334"   "4191389"   "4702657"   "4892000"   "5341560"   "5946789"   "6254323").PN. OR ("6609868").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/09 18:53
L7	44	junkers near2 john.in. and washer	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/09 18:53
L8	21	("1678404"   "1678409"   "20010039858"   "3627334"   "3633446"   "3701372"   "4191389"   "4362449"   "4702657"   "4887948"   "4892000"   "4983084"   "5341560"   "5538379"   "5539970"   "5640749"   "5779413"   "5946789"   "6254323").PN. OR ("6883401").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/09 19:09
L12	0	("(washer near3 inner and washer near 3 outer) or washer near3 multipart or wa sher near3 part").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/09 19:20
L13	9271	(washer near3 inner and washer near3 outer) or washer near3 multipart or washer near3 part	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/09 19:20
L14	80	13 and (friction\$4 or frangible or break or breakable or deform or deformable) and (lengthen or elongate or elongation) near5 (bolt or stud or fastener or shaft)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/09 19:22

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	8	10/010377	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/07 14:30
S2	2	"20030198533"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/09 20:29
S3	1304	junkers.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/09 20:30
S4	151	junkers near2 john.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/07 15:42
S5	1137	(411/1-5,8,9,10,432,916,917).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/06 17:03
S6	15	S4 and S5	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/09 20:33
S7	1	S6 and (resistive or shear\$4 or frangible)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/09 21:37
S8	3	((("2940495") or ("3247741") or ("3602976"))).PN.	USPAT	OR	OFF	2004/12/09 21:36
S9	138	bolt with elongat\$4 and washer same (resistive or shear\$4 or frangible)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/07 00:18
S10	328	(411/368).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/09 21:58
S11	233	(411/2,5).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2004/12/09 21:59
S12	3	S10 and S11	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2004/12/09 21:58

S13	11	(US-20030210967-\$).did. or (US-2940495-\$ or US-6554553-\$ or US-5232311-\$ or US-5228250-\$ or US-4622730-\$ or US-6146070-\$ or US-6135687-\$ or US-6042430-\$ or US-5707181-\$ or US-5487632-\$). did.	US-PGPUB; USPAT	OR	ON	2004/12/09 22:11
S14	17	("1687404" "3627334" "3633446" "3701372" "4191389" "4362449" "4702657" "4887948" "4892000" "4983084" "5341560" "5538379" "5539970" "5640749" "5779413" "5946789" "6254323").PN.	US-PGPUB; USPAT	OR	ON	2005/01/06 18:45
S15	1137	(411/1-5,8,9,10,432,916,917).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/06 19:19
S16	152	junkers near2 john.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/06 23:20
S17	11	(US-20030210967-\$).did. or (US-2940495-\$ or US-4622730-\$ or US-5228250-\$ or US-5232311-\$ or US-5487632-\$ or US-5707181-\$ or US-6042430-\$ or US-6135687-\$ or US-6146070-\$ or US-6554553-\$). did.	US-PGPUB; USPAT	OR	ON	2005/01/06 19:19
S18	138	bolt with elongat\$4 and washer same (resistive or shear\$4 or frangible)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/06 19:19
S19	4	("3247741").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/06 22:56
S20	17	("1687404" "3627334" "3633446" "3701372" "4191389" "4362449" "4702657" "4887948" "4892000" "4983084" "5341560" "5538379" "5539970" "5640749" "5779413" "5946789" "6254323").PN.	USPAT	OR	ON	2005/01/06 23:03
S21	12	(US-20030210967-\$).did. or (US-2940495-\$ or US-4622730-\$ or US-5228250-\$ or US-5232311-\$ or US-5487632-\$ or US-5707181-\$ or US-6042430-\$ or US-6135687-\$ or US-6146070-\$ or US-6554553-\$ or US-3247741-\$).did.	US-PGPUB; USPAT	OR	ON	2005/01/06 22:58

S22	29	(US-20030210967-\$).did. or (US-2940495-\$ or US-4622730-\$ or US-5228250-\$ or US-5232311-\$ or US-5487632-\$ or US-5707181-\$ or US-6042430-\$ or US-6135687-\$ or US-6146070-\$ or US-6554553-\$ or US-3247741-\$ or US-6254323-\$ or US-5946789-\$ or US-5779413-\$ or US-5640749-\$ or US-5539970-\$ or US-5538379-\$ or US-5341560-\$ or US-4983084-\$ or US-4892000-\$ or US-4887948-\$ or US-4702657-\$ or US-4362449-\$ or US-4191389-\$ or US-3701372-\$ or US-3633446-\$). did. or (US-3627334-\$ or US-1687404-\$).did.	US-PGPUB; USPAT	OR	ON	2005/01/06 23:00
S23	0	2001/039858	US-PGPUB; USPAT	OR	ON	2005/01/06 23:04
S24	0	"2001039858"	US-PGPUB; USPAT	OR	ON	2005/01/06 23:04
S25	3	("2001039858").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/06 23:04
S26	30	(US-20030210967-\$ or US-20010039858-\$).did. or (US-2940495-\$ or US-4622730-\$ or US-5228250-\$ or US-5232311-\$ or US-5487632-\$ or US-5707181-\$ or US-6042430-\$ or US-6135687-\$ or US-6146070-\$ or US-6554553-\$ or US-3247741-\$ or US-6254323-\$ or US-5946789-\$ or US-5779413-\$ or US-5640749-\$ or US-5539970-\$ or US-5538379-\$ or US-5341560-\$ or US-4983084-\$ or US-4892000-\$ or US-4887948-\$ or US-4702657-\$ or US-4362449-\$ or US-4191389-\$ or US-3701372-\$ or US-3633446-\$). did. or (US-3627334-\$ or US-1687404-\$).did.	US-PGPUB; USPAT	OR	ON	2005/01/06 23:06
S27	163	junkers near2 john.in. "4887948"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/06 23:20
S28	5	((("4887948") or ("3633446"))).PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/06 23:20
S29	2	("1678409").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/06 23:42

S30	138	bolt with elongat\$4 and washer same (resistive or shear\$4 or frangible)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/07 00:18
S31	216	(411/5,10).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/07 14:32
S32	3	((("3728933") or ("4971493") or ("6135687"))).PN.	USPAT	OR	OFF	2005/01/07 14:36
S33	101	(stretch or tension or elongate or stretching or tensioning or elongating or elongation or tensioned or elongated) with (bolt or threaded) with (axial or axially) same (washer or spacer) near5 (threaded or threads or threadingly or threadedly)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/07 14:39
S34	0	S31 and S33	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/07 14:39
S35	41	(US-20010039858-\$ or US-20030106396-\$ or US-20030108404-\$ or US-20030210967-\$ or US-20040197160-\$ or US-20040040418-\$ or US-20030183045-\$).did. or (US-1678409-\$ or US-1687404-\$ or US-2940495-\$ or US-3247741-\$ or US-3627334-\$ or US-3633446-\$ or US-3701372-\$ or US-4191389-\$ or US-4362449-\$ or US-4622730-\$ or US-4702657-\$ or US-4887948-\$ or US-4892000-\$ or US-4983084-\$ or US-5228250-\$ or US-5232311-\$ or US-5341560-\$ or US-5487632-\$ or US-5538379-\$ or US-5539970-\$ or US-5640749-\$ or US-5707181-\$ or US-5779413-\$ or US-5946789-\$ or US-6042430-\$ or US-6135687-\$). did. or (US-6146070-\$ or US-6254323-\$ or US-6554553-\$ or US-4971493-\$ or US-3728933-\$ or US-5090855-\$ or US-4714391-\$). did. or (EP-315501-\$).did.	US-PGPUB; USPAT; DERWENT	OR	ON	2005/01/07 15:42
S36	152	junkers near2 john.in.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/07 17:10

S37	7	("3627334"   "4191389"   "4702657"   "4892000"   "5341560"   "5946789"   "6254323").PN. OR ("6609868").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/01/07 15:48
S38	2	("4702657").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/07 16:15
S49	0	GB001330320	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/01/07 18:06
S50	0	("GB1330320").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/01/07 18:06
S51	44	(US-20010039858-\$ or US-20030106396-\$ or US-20030108404-\$ or US-20030183045-\$ or US-20030210967-\$ or US-20040040418-\$ or US-20040197160-\$).did. or (US-1678409-\$ or US-1687404-\$ or US-2940495-\$ or US-3247741-\$ or US-3627334-\$ or US-3633446-\$ or US-3701372-\$ or US-3728933-\$ or US-4191389-\$ or US-4362449-\$ or US-4622730-\$ or US-4702657-\$ or US-4714391-\$ or US-4887948-\$ or US-4892000-\$ or US-4971493-\$ or US-4983084-\$ or US-5090855-\$ or US-5137408-\$ or US-5228250-\$ or US-5232311-\$ or US-5341560-\$ or US-5487632-\$ or US-5538379-\$ or US-5539970-\$ or US-5640749-\$). did. or (US-5707181-\$ or US-5779413-\$ or US-5946789-\$ or US-6042430-\$ or US-6135687-\$ or US-6146070-\$ or US-6254323-\$ or US-6554553-\$).did. or (EP-1318316-\$ or EP-1348878-\$). did. or (EP-315501-\$).did.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/06 18:45
S52	1152	(411/1-5,8,9,10,432,916,917).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2005/06/06 17:04
S53	18	washer same (bolt or nut or rastener) same resist\$4 near5 (turn or turning or rotat\$4) same (inner or inside) same radi\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/06 17:06

S54	20	("1457749"   "1623686"   "2520259"   "3285120"   "3512447"   "3602976").PN. OR ("3728933").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/06 19:05
S55	5	("3512447"   "4867624"   "5927917").PN. OR ("6146070").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/06 19:11
S56	9	("3191486"   "4068555"   "4167886").PN. OR ("4867624").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/06 20:06
S57	12	("5137408"   "5318397"   "5341560"   "5406867").PN. OR ("5539970").URPN.	US-PGPUB; USPAT; USOCR	OR	ON	2005/06/06 21:05
S58	45	(US-20010039858-\$ or US-20030106396-\$ or US-20030108404-\$ or US-20030183045-\$ or US-20030210967-\$ or US-20040040418-\$ or US-20040197160-\$).did. or (US-1678409-\$ or US-1687404-\$ or US-2940495-\$ or US-3247741-\$ or US-3627334-\$ or US-3633446-\$ or US-3701372-\$ or US-3728933-\$ or US-4191389-\$ or US-4362449-\$ or US-4622730-\$ or US-4702657-\$ or US-4714391-\$ or US-4887948-\$ or US-4892000-\$ or US-4971493-\$ or US-4983084-\$ or US-5090855-\$ or US-5137408-\$ or US-5228250-\$ or US-5232311-\$ or US-5341560-\$ or US-5487632-\$ or US-5538379-\$ or US-5539970-\$ or US-5640749-\$).did. or (US-5707181-\$ or US-5779413-\$ or US-5946789-\$ or US-6042430-\$ or US-6135687-\$ or US-6146070-\$ or US-6254323-\$ or US-6554553-\$ or US-3841177-\$).did. or (EP-1318316-\$ or EP-1348878-\$).did. or (EP-315501-\$).did.	US-PGPUB; USPAT; EPO; DERWENT	OR	ON	2005/06/06 23:25
S59	3977	washer and ((first and second) or (upper and lower)) near5 (face or surface or end) and (elongat\$3 or stretch\$3) with (axial\$3 or longitudinal\$3) with (bolt or stud or shaft)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 23:29
S60	1802	S59 and washer same ((first and second) or (upper and lower)) near5 (face or surface or end) and (elongat\$3 or stretch\$3) with (axial\$3 or longitudinal\$3) with (bolt or stud or shaft)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 23:29

S61	379	S60 and (resistive or resistant or resisting or resistance or catch or key) same (pull or force)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 23:32
S62	41	S61 and axial near2 force	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 23:32
S63	48	(US-20010039858-\$ or US-20030106396-\$ or US-20030108404-\$ or US-20030183045-\$ or US-20030210967-\$ or US-20040040418-\$ or US-20040197160-\$ or US-20040151557-\$).did. or (US-1678409-\$ or US-1687404-\$ or US-2940495-\$ or US-3247741-\$ or US-3627334-\$ or US-3633446-\$ or US-3701372-\$ or US-3728933-\$ or US-4191389-\$ or US-4362449-\$ or US-4622730-\$ or US-4702657-\$ or US-4714391-\$ or US-4887948-\$ or US-4892000-\$ or US-4971493-\$ or US-4983084-\$ or US-5090855-\$ or US-5137408-\$ or US-5228250-\$ or US-5232311-\$ or US-5341560-\$ or US-5487632-\$ or US-5538379-\$ or US-5539970-\$ or US-5640749-\$). did. or (US-5707181-\$ or US-5779413-\$ or US-5946789-\$ or US-6042430-\$ or US-6135687-\$ or US-6146070-\$ or US-6254323-\$ or US-6554553-\$ or US-3841177-\$). did. or (US-3565472-\$).did. or (EP-1318316-\$ or EP-1348878-\$). did. or (JP-2004003623-\$).did. or (EP-315501-\$).did.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/06/06 23:42
S64	4	"1678409"	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 16:47
S65	8748	lock adj washer	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	ON	2005/06/07 16:51
S66	2	((("3633446") or ("4887948"))).PN.	USPAT	OR	OFF	2005/06/07 22:39